

Instructions for Using **Eye Drops or Eye Ointment**

- 1. Wash your hands before applying eye medications.
- 2. Tilt your head backwards when applying eye medications.
- Pull the lower eyelid down gently and look upwards: Eye drops - instill 1-2 drops into the lower and medial fornix. (Fig. 1) Ointment - squeeze 2-3mm and apply it into the lower fornix.
- (Fig. 2) 4. Close the eyes and use clean facial tissue to wipe off any excess medications, and then press the inner canthus gently
- with your index finger tip for about 1 minute. Do not touch the eye with the tip of the container when using
- eye medications.
- 6. Wait for 3-5 minutes between each medication.
- 7. Always apply eye drops before eye ointment if you need to use them both.
- 8. Vision will be blurred temporarily after eye ointment is instilled.
- 9. Always keep the container tightly closed in a cool place after each application. Avoid direct sunlight.
- 10. Follow doctor's instructions to use the eye medications.



(Fig. 1)



(Fig. 2)

Eye drops and eye ointment are sterile before opening. Please note the opening date. They should be discarded 1 month after opening, or you should follow the instructions of the manufacturer.

> Please stop using the eye medication and inform your doctor if you experience allergic reaction.

4/F, Li Shu Fan Block 2 Village Road, Happy Valley, Hong Kong Tel: (852) 2835 8880; (852) 2835 8890 Fax: (852) 2892 7510 E-mail: eve@hksh-hospital.com

Monday to Friday: 9:00 am - 5:00 pm Saturday: 9:00 am - 1:00 pm Closed on Sundays and Public Holidays

HKSH Healthcare Medical Centre

Level 21, One Pacific Place 88 Queensway, Hong Kong Tel: (852) 2855 6700 Fax: (852) 2523 7660

E-mail: eve@hksh-healthcare.com

Monday to Friday: 9:00 am - 5:00 pm Saturday: 9:00 am – 1:00 pm Closed on Sundays and Public Holidays www.hksh-healthcare.com